

OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE



**The new replacement for Roadranger Lubricants -
Customer product guide Summary for Parts & Service people**

OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE

OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE

Roadranger is now obsolete and no longer available



for TRANSMISSIONS

- **RoadTRANS MTF PS-386** synthetic transmission fluid is a new formula replacing the old Roadranger SAE 50 now obsolete.
- **RoadTRANS MTF PS-386** is fully approved by Eaton and clearly displays the Eaton seal of approval on its distinctive new label.
- New **RoadTRANS MTF PS-386** is fully compatible/mixes with the old Roadranger SAE50, so no flushing required.
- A full description/specification is clearly on the label and in Technical Data and MSDS sheets

for AXLES



- To complement the switch to **RoadTRANS** the same synthetic gear oils for drive axles have been rebranded into the new **RoadTRANS** style. So for axles, only the label has changed.

- There is no change to the formulation/specification of these **OEM Approved Gear Lubricants** - they are exactly the same - approved for maximum extended drains in both **Meritor** and **DANA** axles in all trucks as well as all GL5 applications in commercial vehicles.

for AXLES plus FUEL ECONOMY

OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE

NEW Roadtrans is ready to order now



OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE

The Premium OEM approved product in a distinctive new livery that customers can easily identify with

EATON's new lubricant specification PS 386 has been developed to provide enhanced levels of gear protection and corrosion inhibition, with reduced sump temperatures, promoting longer component life overall



Full Synthetic SAE40 Transmission Fluid for Eaton transmissions

MTF PS-386

- The NEW SAE 40 transmission fluid for all Roadranger[®] Eaton Fuller and high torque transmissions**
- Fully backed by Eaton approval and warranty* for Ultra Shift PLUS, Fuller Advantage, FR and RT Series transmissions
 - Approved by Eaton for maximum Extended drain intervals - 400,000 kms in Australia and New Zealand - as determined by your oil analysis results
 - Maximum extreme temperature performance. Formulated and Proven to lower operating temperatures by up to 12°C
 - World Leading fuel economy performance
 - Can be service filled or topped up where Roadranger SAE 50 synthetic transmission fluid has previously been used – no flushing required
- Approved for OEM specifications:**
- Eaton PS-386
 - Eaton PS-164 rev 7
 - Mack TO-A Plus
 - Navistar MPAPS B-6816 Type II
 - API MT-1

CODE: RSL-PS-386-20

9312218000386

NETT 20 LITRES

Approved by Eaton Corporation, Vehicle Group, for use in Eaton transmissions requiring PS-386 lubricant for extended drain intervals and warranties as required per the Lubricant Products Specification Manual (TCMT-0021)

*Roadranger, Ultra Shift, Fuller, are registered trade marks of Eaton Corporation

Lubricant manufactured by BASF Corporation (Cincinnati, USA) Distributed in Australia and New Zealand by Quick Smart Products PTY LTD Tullamarine 3043 Vic Phone: 03 9338-6655. Email: qsmart@bigpond.net.au - www.qsmart.net.au Use responsibly and safely. Do not ingest. Avoid skin and eye contact. Keep away from children.

Eaton Approved Lubricant

PS-386 Synthetic Transmission Fluid

- Ordering is just the same, available ex stock to all main locations by direct delivery from Quick Smart on 03 9338 6655, fax 03 93352699 or email qsmart@bigpond.net.au
- Our familiar 20 litre stackable drums fit all workshop pumps or taps; easy for your customers.
- Also available in 205 litres , 1000 litres IBC cubes, 5 litres and 1 litre top up and promo packs.
- Prices are currently unchanged from your old Roadranger prices as at December 2016
- For your systems - part numbers are as below and on the label with the barcode
- Safety Compliance Note: All **RoadTRANS** packaging and labels are fully compliant with latest UN requirements that are now mandatory in Australia



Product	20 L	1 L	5 L	205 L	1000 L
MOQ preferred	24	36	24	1	1
RoadTRANS MTF PS-386	RSL PS386-20	RSL PS386-1	RSL PS386-5	RSL PS386-205	RSL PS386-1000
RoadTRANS 80w-140	RSL 80W140-20	RSL 80W140-1	RSL 80W140-5	RSL 80W140-205	RSL 80W140-1000
RoadTRANS 75w-90FE	RSL 75W90FE-20	RSL 75W90FE-1	RSL 75W90FE-5	RSL 75W90FE-205	RSL 75W90FE-1000

OEM APPROVED * MAXIMUM DRAIN * LOWER TEMPERATURES * LONGER LIFE