

# DRILLING AND TAPPING COMPOUND

## SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	DRILLING AND TAPPING COMPOUND	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	DTC500, DTC1, DTC25	<b>TULLAMARINE VIC 3043</b>
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name:</b>	DRILLING AND TAPPING COMPOUND
<b>ADG:</b>	-
<b>Supplier:</b>	QUICK SMART PRODUCTS PTY LTD
<b>Address:</b>	53 Assembly Drive Tullamarine Vic 3043
<b>Telephone:</b>	(03) 93386655 (BH) Poisons Information Centre 131126 (AH) (03) 9336 7945 (AH)
<b>Recommended Use:</b>	Metal Lubricant

### 2. HAZARDS IDENTIFICATION

<b>Hazard Classification</b>	Not hazardous
<b>Dangerous Goods Classification</b>	Not Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
<b>GHS Label Elements</b>	
<b>Signal Word</b>	Not Applicable
<b>Symbol(s)</b>	Not Applicable
<b>Hazard Statements</b>	Not Applicable
<b>Precautionary Statements</b>	
<b>Prevention</b>	Not Applicable
<b>Response</b>	Not Applicable
<b>Storage</b>	Not Applicable
<b>Disposal</b>	Not Applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients, determined not to be hazardous according to NOHSC criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

### 4. FIRST AID MEASURES

<b>Eye Contact:</b>	Hold eyelid open and flush with water for at least 15 minutes or until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
<b>Skin Contact:</b>	Flush contaminated skin with plenty of water. Remove contaminated clothing and launder before re-use. Obtain medical attention if symptoms occur.
<b>Inhalation:</b>	Remove the affected person to fresh air. If the victim is not breathing, apply artificial resuscitation. In serious cases of over-exposure, seek medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Rinse mouth; then drink one or two large glasses of water. Contact a doctor or a Poisons Information Centre (Phone: 13 11 26).
<b>Notes to Physician:</b>	No specific treatment. Treat symptomatically.

# DRILLING AND TAPPING COMPOUND

## SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	DRILLING AND TAPPING COMPOUND	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	DTC500, DTC1, DTC25	<b>TULLAMARINE VIC 3043</b>
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

### 5. FIRE FIGHTING MEASURES

<b>Extinguishing Media:</b>	In case of fire, use water spray (fog), foam or dry chemical or CO <sub>2</sub> .
<b>Fire/Explosion Hazards:</b>	Combustible material. Cool closed containers exposed to fire with water. Contains (distillates [petroleum], solvent-dewaxed heavy paraffinic).
<b>Special Protective Equipment for Fire Fighters:</b>	Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.
<b>Hazardous Decomposition Products:</b>	Carbon oxides (CO, CO <sub>2</sub> ), sulphur oxides (SO <sub>2</sub> , SO <sub>3</sub> , etc).

### 6. ACCIDENTAL RELEASE MEASURES:

<b>Personal Precautions:</b>	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment. Eliminate all ignition sources.
<b>Environmental Precautions:</b>	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
<b>Methods for Cleaning Up:</b>	Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information, Section 8 for personal protective equipment and Section 13 for waste disposal.

### 7. HANDLING AND STORAGE

<b>Handling:</b>	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Refer to special instructions/safety data sheet. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Storage:</b>	Store in a well ventilated, dry place. Protect from moisture. Keep away from heat, sparks and flame.  Keep away from incompatibles, such as strong oxidizing material.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Occupational Exposure Limits:</b>	No exposure standard allocated.
<b>Engineering Measures:</b>	None required. However, use of adequate ventilation is good industrial practice.

# DRILLING AND TAPPING COMPOUND

## SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	DRILLING AND TAPPING COMPOUND	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	DTC500, DTC1, DTC25	<b>TULLAMARINE VIC 3043</b>
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

**Hygiene Measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal Protection

**Eyes:** Recommended: Safety glasses.

**Hands:** Recommended: PVC gloves.

**Respiratory:** A respirator is not needed under normal and intended conditions of product use.

**Skin:** No special protective clothing is required.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Solid (Waxy solid)

**Colour:** Grey (Light)

**Odour:** Faint odour

**Boiling Point:** >100°C (>212°F)

**Melting Point:** Not available

**Vapour Pressure:** Not available

**Specific Gravity:** 0.8 to 1

**Relative Density:** 0.8 to 1g/cm<sup>3</sup> [20°C (68°F)]

**Flash Point:** 150°C (Open cup)

**Vapour Density:** Not available

**pH:** Not applicable

**Solubility:** Insoluble in cold water, hot water.

## 10. STABILITY AND REACTIVITY

**Stability:** The product is stable under normal ambient conditions of temperature and pressure.

**Conditions to Avoid:** Avoid sources of ignition, heat, direct sunlight.

**Materials to Avoid:** Strong oxidizing material.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>), sulphur oxides (SO<sub>2</sub>, SO<sub>3</sub>, etc).

**Hazardous Reactions:** No hazardous reactions expected.

## 11. TOXICOLOGICAL INFORMATION

### Potential Acute Health Effects

**Inhalation:** No known significant effects or critical hazards.

**Ingestion:** Exposure can cause nausea, headache and vomiting.

# DRILLING AND TAPPING COMPOUND

## SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	DRILLING AND TAPPING COMPOUND	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	DTC500, DTC1, DTC25	<b>TULLAMARINE VIC 3043</b>
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

**Skin Contact:** No known significant effects or critical hazards.

**Eye Contact:** No known significant effects or critical hazards.

### Potential Chronic Health Effects

**Carcinogenicity:** No known significant effects or critical hazards.

**Mutagenicity:** No known significant effects or critical hazards.

**Reproductive Toxicity:** No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity Data:** Not available.

**Persistence/  
Degradability:** Not available.

**Mobility:** Not available.

**Other Adverse Effects:** Very toxic to aquatic organisms. Water polluting material. May be harmful to the environment if released in large quantities.

## 13. DISPOSAL CONSIDERATIONS

**Methods of Disposal:** Do not reuse product containers. The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## 14. TRANSPORT INFORMATION

Regulation	UN Number	Proper Shipping Name	Class	Packing Group	Additional Information
ADG	Not regulated	-	- (-)	-	-
IMDG	Not regulated	-	- (-)	-	-

## 15. REGULATORY INFORMATION

**Australia Inventory Status (AICS):** All substances are listed on AICS or exempt.

**AU Classification:** N – Dangerous for the environment.  
R50 – Very toxic to aquatic organisms.

**Standard for the Uniform Scheduling of Drugs and Poisons:** S7

Control of Scheduled Carcinogenic Substances:	Ingredient Name	Substance
	No listed substance	

# DRILLING AND TAPPING COMPOUND

## SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	DRILLING AND TAPPING COMPOUND	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	DTC500, DTC1, DTC25	<b>TULLAMARINE VIC 3043</b>
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

### 16. OTHER INFORMATION

**Contact Person/Point:** Technical Information: (03) 9338 6655

**Date of Preparation or last revision of SDS:** SDS created/reviewed: 3 September 2020

**References:**

- ADG Code – Australian Transport of Dangerous Goods
- Adopted National Exposure Standard for Atmospheric Contaminants in the Occupational Environment
- Approved Criteria for Classifying Hazardous Substances
- List of Designated Hazardous Substances
- National Code of Practice for the Labelling of Workplace Substances
- National Code of Practice for the Preparation of Material Safety Data Sheets
- National Model Regulations for the Control of Scheduled Carcinogenic Substances
- National Model Regulations for the Control of Workplace Hazardous Substances
- Standard for the Uniform Scheduling of Drugs and Poisons

#### Disclaimer

*The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.*

**END OF SDS**