



1. **IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product Name FG WATER BASED SILICONE LUBRICANT

Q3087

Company Name QUICK SMART PRODUCTS ADVANCE CHEMICALS Manufacturer

Address 4 - 8 Malton Court Altona Vic 3018

(03) 9398 4444 (BH) Telephone Poisons Information Centre 131126 (AH) 0425 800 022 (AH)

Recommended Use For lubrication, waterproofing and protection

2. **HAZARDS IDENTIFICATION**

Hazard Classification Not hazardous

Dangerous Goods

Classification

Not Dangerous Goods according to the criteria of the Australian Code for the Transport

of Dangerous Goods by Road & Rail (ADG Code)

GHS Label Elements

Signal Word Not Applicable Symbol(s) Not Applicable **Hazard Statements** Not Applicable

Precautionary Statements

Prevention Not Applicable Response Not Applicable Storage Not Applicable **Disposal** Not Applicable Other Hazards which Not Applicable

do not result in classification

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Entity CAS No Proportion

Silicone Emulsion 20%

Page 1 of 7 Date: May 2023





4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Ingestion Rinse mouth out with water. Do NOT induce vomiting. If vomiting occurs, lean patient

forward or place on left side to maintain open airway to prevent aspiration.

Eye Contact In case of eye contact, hold eyelids apart and flush the eye immediately with large

amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation persists seek medical advice/attention.

Skin Contact If skin or hair contact has occurred remove any contaminated clothing and footwear,

wash skin or hair with soap and water. If irritation or rash occurs seek medical

advice/attention.

Inhaled If affected, remove the affected person from further exposure into fresh air, if safe to do

so. Lay patient down in a well ventilated area. Allow patient to assume most comfortable position and keep warm. If experiencing respiratory symptoms, seek immediate medical advice/attention. If not breathing, provide artificial respiration and seek immediate

medical assistance. If irritation develops or persists, consult a Doctor.

used.

Protection for First

Aiders

No action shall be taken involving any personal risk or without suitable training.

Most Important Symptoms & Effects, Both Acute & Delayed, Caused by Exposure

See Section 11 for more detailed information on health effects and symptoms.

Advice to Doctor Treat symptomatically based on individual reactions of patient and judgment of doctor.

5. FIRE FIGHTING MEASURES

General Measures Do not enter enclosed or a confined work space without proper protective equipment.

Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done

without risk.

Flammability Conditions

This product is non flammable under conditions of use. Product is classified as a Class 2

Combustible Liquid according to AS1940.

Extinguishing Media Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, foam, dry

chemical or water spray.

Unsuitable Extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

Combustion Hazards Incomplete combustion/thermal decomposition will generate smoke, carbon dioxide and

hazardous gases, which include carbon monoxide.

Explosion No information to indicate that the product is an explosion hazard. Closed containers

may explode when exposed to extreme heat.

Page 2 of 7 Date: May 2023





Personal Protective

Equipment

Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots

and gloves).

Flash Point

204°C

Hazchem Code

Not applicable.

6. ACCIDENTAL RELEASE MEASURES

General Response

Procedure

Avoid accidents, clean up immediately. Slippery when spilled. Wear protective equipment to prevent skin and eye contact and inhalation of vapours. Eliminate all sources of ignition. Increase ventilation. Use clean, non-sparking tools and equipment.

Containment

Stop the leak if safe to do so. Isolate the danger area. Contain the spill and absorb with

a proprietary absorbent material, sand or earth.

Clean Up Procedures

Having contained the spill, collect all material and place used absorbent in suitable, labelled containers for disposal. Wash contaminated area and objects with detergent and water after spill has been cleared. Rinse the cleaned area with water. Do not allow wash water to enter drains, surface water, sewers or water courses.

Environmental Precautionary Measures

Use appropriate containment to avoid environmental contamination. Do not let product enter drains, surface water, sewers or water courses. Advise local authorities if this

occurs.

Evacuation Criteria

Personal Precautionary Measures Small Spills - Wear Nitrile gloves, glasses/goggles, boots and full length clothing. If mists of vapour are generated, an approved organic vapour/particulate respirator is required.

Large Spills or in Confined Spaces - A full chemical resistant bodysuit is recommended and the atmosphere must be evaluated for oxygen deficiency. If in doubt about oxygen

deficiency wear self-contained breathing apparatus.

Evacuate personnel to safe areas.

Disposal

Dispose of waste in accordance to Federal, EPA, State and Local Regulations. Disposal into sewer system is not permitted.

7. HANDLING AND STORAGE

Safe Handling

Ensure an eye bath and safety shower are available and ready for use. Avoid contact with the product by using appropriate protective equipment such as gloves, goggles, boots and full length clothing. Eating, drinking and smoking should be prohibited in the area where this material is handled, stored and processed. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment.

Safe Storage

Product is classified as a Class 2 Combustible Liquid for the purpose of storage and handling. Refer to AS 1940 – The Storage and Handling of Flammable Liquids. Store in a dry, well ventilated area out of direct sunlight and away from ignition sources, oxidising agents, foodstuffs and clothing. Do not store in unlabelled containers. Keep containers tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Inspect regularly for deficiencies such as damage or leaks.

Incompatibilities

Oxidizing substances including strong acids.

Page 3 of 7 Date: May 2023





8. **EXPOSURE CONTROL**

Occupational Exposure Limits No exposure standards have been established for this product. However, in the operation of certain equipment or at elevated temperatures, if oil mists or aerosols are

generated the following Exposure Standard should be observed:

TWA: 5mg/m³

STEL: 10mg/m³ (ACGIH)

Biological Limit

No data available

Engineering Controls

Special ventilation is not normally required when using this product at normal temperatures. In the operation of certain equipment, at elevated temperatures or in confined spaces, mist or vapour may be generated and local exhaust ventilation should be used to maintain airborne concentration levels below the nominated exposure

standard and at an acceptable level that does not cause irritation.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory

Protective Devices.

Eye Protection

Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standards AS/NZS 1337 – Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1 - Occupational Protective Gloves - Selection, Use and Maintenance.

Body Protection

During normal operating procedures, long sleeved clothing is recommended to avoid skin contact. Chemical resistant plastic apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance White Odor No odor Density @ 15°C N/A **Flash Point** N/A

Solubility Soluble in water

Reactivity N/A **Kinematic** N/A **Viscosity** N/A

Flammability Not flammable.

Page 4 of 7 Date: May 2023





10. STABILITY AND REACTIVITY

Reactivity This product does not pose any further reactivity hazards other than those listed below.

Stability Stable under recommended storage and handling conditions (refer Section 7)

Avoid direct contact with sunlight, heat, flames, sparks etc. **Conditions to Avoid**

Materials to Avoid Heat or high temperatures.

Hazardous Decomposition Products

Thermal decomposition can produce a variety of compounds, which depends on decomposition conditions. Incomplete combustion/thermal decomposition will generate

smoke, carbon dioxide and hazardous gases, which include carbon monoxide.

Hazardous Polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information The product is a mixture and test data is not available for the product as a whole.

Likely Routes of Exposure

Skin and eye contact are the primary routes of exposure although exposure may occur

following accidental ingestion.

Eye Contact May cause slight eye irritation.

Inhalation Vapour inhalation under ambient conditions is not normally a problem due to low vapour

pressure. Vapours generated through elevated temperatures or mists can cause

irritation to the nose and throat.

Skin Contact May cause mild irritation.

Ingestion Ingestion of large quantities may cause nausea and diarrhoea.

Chronic Effects Repeated or prolonged skin contact can result in irritation and in severe cases

dermatitis.

Carcinogenicity No known significant effects or critical hazards.

Other Information Used oils may contain harmful impurities that can accumulate during usage. Due to the

use of oils in different types of equipment the type of impurities that accumulate during its usage are unknown. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. All used oil should be handled with caution and skin contact avoided as far as possible by wearing suitable

gloves, such as those made of nitrile rubber.

12. **ECOLOGICAL INFORMATION**

Ecotoxicity There is no data available for this product as a whole.

Persistence / Degradability Based on the components and similar products the product is not expected to be readily biodegradable. Major constituents are expected to be inherently biodegradable, but the

product contains components that may persist in the environment.

Mobility Floats on water. If it enters soil, it will absorb onto soil particles and will not be mobile.

Bioaccumulative Potential

No information is available on bioaccumulation for this product.

Environmental Fate Do not allow product to reach water ways, drains or sewers. Product will float on water.

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen

transfer could also be impaired.

Page 5 of 7 Date: May 2023





Other Adverse Effects

Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations

The generation of waste should be avoided or minimised wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Special Precautions for Landfill

Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Transport Regulations

Not classified as dangerous for transport (ADG, IMDG, IATA)

15. REGULATORY INFORMATION

SUSMP A poison schedule has not been allocated for this product.

All ingredients are listed in the Australian Inventory of Chemical Substances (AICS)

16. OTHER INFORMATION

Contact Person/Point Technical Information: Ted Powell 0425 800 022

Date of Preparation or last revision of MSDS

SDS reviewed: May 2023

Abbreviations

ADG Code Australian Code for the Transport of Dangerous Goods by Road & Rail

ACGIH American Conference of Governmental Industrial Hygienists

IMDGInternational Maritime Dangerous GoodsIATAInternational Air Transport AssociationCAS NumberChemical Abstracts Service Registry Number

TWA Time Weighted Average **STEL** Short Term Exposure Limit

HAZCHEM Code Emergency action code of numbers and letters which gives information to emergency

services

GHS Globally Harmonised System of Classification and Labelling SUSMP Standard for the Uniform Scheduling of Drugs and Poisons

AICS Australian Inventory of Chemical Substances

NOHSC National Occupational Health and Safety Commission

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material or from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF SDS

Page 6 of 7 Date: May 2023





Page 7 of 7 Date: May 2023