

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	LEMON POWER DISINFECTANT
Company Name	QUICK SMART PRODUCTS
Address	53 Assembly Drive Tullamarine Vic 3043
Telephone/Fax	(03) 9338 6655 (BH) Poisons Information Centre 131126 (AH) (03) 9336 7945 (AH)
Recommended Use	Cleaner, disinfectant and deodoriser for hard surfaces

2. HAZARDS IDENTIFICATION

Hazard Classification	Not Hazardous
Dangerous Goods Classification	Not Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
GHS Label Elements	
Signal Word	Not Applicable
Symbol(s)	Not Applicable
Hazard Statements	Not Applicable
Precautionary Statements	
Prevention	Not Applicable
Response	Not Applicable
Storage	Not Applicable
Disposal	Not Applicable
Other Hazards which do not result in classification	Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	W%W	CAS No
Lauryl Alcohol, Ethoxylated	>5	9002-92-0
Quaternary Ammonium Compound	<5	8001-54-5
Non Hazardous Ingredients	To 100%	

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

4. FIRST AID MEASURES

For advice contact the Poisons Information Centre – 131 126

Description of necessary measures according to routes of exposure

Eye Contact	In case of eye contact, hold eyelids apart and flush continually with clean running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor/Physician. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation persists seek medical advice/attention.
Inhalation	In case of over-exposure remove affected person from further exposure into fresh air. Allow patient to assume most comfortable position and keep warm. If experiencing respiratory symptoms, seek immediate medical advice/attention.
Skin Contact	If hair or skin contact occurs, remove contaminated and flush hair and skin with clean running water. If irritation develops seek medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Rinse mouth thoroughly with water. Give a glass of water to drink. Seek immediate medical attention. For advice, contact Poisons Information Centre on 13 1126 or a doctor.
First Aid Facilities	Normal washroom facilities are generally suitable. It is recommended that an eyewash station be available and ready for use.

Most Important Symptoms & Effects, Both Acute & Delayed, Caused by Exposure

See Section 11 for more detailed information on health effects and symptoms.

Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

General Measures	Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability	Non flammable.
Suitable Extinguishing Media	Use extinguishing media appropriate to the principal fire hazard or to the source of the fire. Use water spray to cool containers and surrounds.
Combustion Hazards	Non combustible. Heating can cause expansion leading to rupture of containers. If safe to do so remove containers from path of fire.
Protective Equipment for Fire Fighters	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Explosion	No information to indicate that the product is an explosion hazard. Closed containers may explode when exposed to extreme heat.

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Avoid accidents, clean up immediately. Do not walk through spilt material. Slippery when spilled. Avoid contact with eyes and skin. Eliminate all sources of ignition. Increase ventilation.
Containment	Stop the leak if safe to do so. Isolate the danger area. Contain the spill and absorb with an inert absorbent material.
Clean Up Procedures	Wear appropriate personal protective equipment to prevent skin and eye contamination. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Small Spills - Mop up small spills with a mop or sponge. Wash the area with water. Large Spills - Contain and absorb spill using an inert absorbent material. Prevent spillage from entering drains or water courses. Pick up with a shovel and place in suitable sealable labelled containers for disposal. Wash the area thoroughly with water and mop up to remove all traces of product. Ensure the area is safe before allowing personnel to return to the work area.
Disposal	Dispose of waste in accordance to Federal, EPA, State and Local Regulations. Disposal into sewer system is not permitted.

7. HANDLING AND STORAGE

Safe Handling	Before use carefully read the product label. Keep containers closed when not in use. Use of safe work practices are recommended to minimise inhalation, skin and eye contact. Maintain good standards of personal hygiene when using this product i.e. washing hands prior to eating, drinking or going to the toilet.
Safe Storage	Store in a cool, dry, well ventilated area. Do not store in unlabelled containers. Keep containers tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Inspect regularly for deficiencies such as damage or leaks. Not classed as a dangerous substance for the purpose of transport, storage or handling.
Incompatibles	Store away from strong oxidising agents and acids.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standards	No Exposure Standards have been assigned by the National Occupational Health and Safety Commission for this product
Biological Limits	No biological limit allocated.
Engineering Controls	No special measures required. Natural ventilation should be adequate under normal use conditions. Use in well ventilated areas.
Personal Protective Equipment	Repeated or prolonged exposure to the material without personal protection should be avoided in order to lessen the possibility of disorders. Avoid contact with the skin and eyes. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard.
Eye Protection	Chemical safety goggles or safety glasses with side shields.
Hand/Skin Protection	Impervious protective clothing (gloves, lab coat, apron or coveralls, as appropriate) to prevent skin contact. Neoprene and Nitrile Rubber are recommended materials.

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

Respiratory Protection None required under normal circumstances if engineering, storage and handling controls are adequate.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow Liquid
Odour	Citrus Lemon
Vapour Pressure	No data available
Vapour Density	No data available
Boiling Point	100°C
Evaporation Rate	N/A
Solubility (Water)	Complete
Specific Gravity (20°C)	1
Percent Volatiles	<5%
Flammability	Not flammable
Flammability Limits	No data available
Flash Point	No data available
Autoignition Temp	No data available

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions of storage and handling.
Incompatible Materials	Strong oxidising agents and acids
Hazardous Decomposition	Carbon Dioxide, Carbon Monoxide
Hazardous Polymerization	Will not occur.
Conditions to Avoid	Heat, flames, ignition sources and incompatibles.

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this SDS and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

Acute Health Effects

Eye	Concentrated form may cause irritation to the eyes, characterised by redness, watering and/or itching.
Inhalation	Not normally an inhalation risk under normal conditions of use. Excessive inhalation of spray mists from the product may cause slight irritation of the throat and possible headaches and nausea.
Skin	May cause irritation to the skin.
Ingestion	May cause irritation to mouth, throat and stomach, with effects including nausea and headaches.

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

Chronic Health Effects Principal routes of exposure are by accidental skin or eye contact. Prolonged or repeated skin contact in concentrated or diluted form without rinsing may produce skin irritation, characterised by redness or itching. Repeated eye exposure may produce chronic inflammation of the eye.

Toxicity Data No toxicity data is available for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available for this product.

Mobility No data available.

Persistence No data available.

Degradability

Environmental Avoid contaminating waterways. When used in accordance with the instructions, controlled release of this product is not expected to cause environmental contamination.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations Waste product should be placed in sealed, properly labelled containers for disposal. Dispose in accordance to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations.

14. TRANSPORT INFORMATION

Transport Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

15. REGULATORY INFORMATION

SUSMP A poison schedule has not been allocated for this product.

AICS (Australia) All ingredients are listed in the Australian Inventory of Chemical Substances (AICS)

16. OTHER INFORMATION

Contact Person/Point Technical Information: (03) 9338 6655

Date of Preparation or last revision of MSDS SDS reviewed: 19 August 2016

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail
AICS	Australian Inventory of Chemical Substances
CAS Number	Chemical Abstracts Service Registry Number
GHS	Globally Harmonised System of Classification and Labelling
HAZCHEM Code	Emergency action code of numbers and letters which gives information to emergency services
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
mg/m³	Milligrams per Cubic Metre
NOHSC	National Occupational Health and Safety Commission
ppm	Parts Per Million
SDS	Safety Data Sheet

LEMON POWER DISINFECTANT

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	LEMON POWER DISINFECTANT	53 ASSEMBLY DRIVE
Manufacturers Code:	LP5, LP25	TULLAMARINE VIC 3043
Date:	August 2016	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

STEL	Short Term Exposure Limit
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
TWA	Time Weighted Average

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, or from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF SDS