



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: MAGIC SS-113A AEROSOL

ADG: AEROSOLS

Manufacturer ADVANCE CHEMICALS

Address 4 – 8 Malton Court

4 – 8 Malton Court Altona Vic 3018

Telephone (03) 9398 4444 (BH) Poisons Information Centre 131126 (AH) 0425 800 022 (AH)

Recommended Use: Electronic Cleaner and Degreaser

2. HAZARDS IDENTIFICATION

Hazard Classification Hazardous

Dangerous Goods

Classification

Dangerous Goods according to the criteria of the Australian Code for the Transport of

Dangerous Goods by Road & Rail (ADG Code)

GHS Classification(s) Aerosol: Pressurised: Category 3

Acute Toxicity: Inhalation: Category 4

Skin Irritation: Category 2 Eye Irritation: Category 2A

Aquatic Toxicity (Chronic): Category 3

GHS Label Elements

Signal Word

Symbol(s)

WARNING



Hazard Statements

H229 Pressurized container: may burst if heated.

H315 Causes skin irritation. H320 Causes eye irritation. H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P251 Pressurised container: Do not pierce or burn, even after use.
P261 Avoid breathing dust/fumes/gas/mist/wapours/spray.

P262 Do not get in eyes, skin or on clothing.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+311 IF IN EYES: Rinse cautiously with water for several minutes. Get medical

advice/attention.

P308+P314 If exposed or concerned: Get medical advice/attention if you feel unwell.

Page 1 of 7 Date: January 2022





Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Risk Phrases: R20/22 – Harmful by inhalation and if swallowed.

R36/38 – Irritating to eyes and skin.

R52/53 – Harmful to aquatic organisms may cause long term adverse effects in the

aquatic environment.

Safety Phrases: S2 – Keep out of the reach of children.

S16 - Keep away from sources of ignition - No smoking.

S23 - Do not breathe fumes.

S24/25 – Avoid contact with skin and eyes.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S28 – After contact with skin, wash immediately with plenty of soap and water. S38 – In case of insufficient ventilation, wear suitable respiratory equipment.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S51 – Use only in well ventilated areas.

S61 – Avoid release to the environment. Refer to special instructions/safety data sheet. S63 – In case of accident by inhalation, remove casualty to fresh air and keep at rest.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS No	Concentration
1,2-Dichlorethene	156-60-5	30-60
1,1,1,3,3-Pentafluorobutane	406-58-6	>60
Carbon dioxide propellant	124-38-9	<10

Other ingredients, determined not to be hazardous subject to the provisions of the Hazardous Substances (identification) Regulations, make up the product concentration to 100%.

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Eye Contact If in contact with eyes, hold eyelids apart and flush continuously with clean running

water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor,

or for at least 15 minutes. Obtain medical attention.

Skin Contact In case of contact with skin, remove contaminated clothing and flush skin with plenty of

clean running water (and soap if available) for at least 15 minutes. Seek medical

attention if irritation persists.

Inhalation If inhaled, remove the affected person from further exposure into fresh air. Lay patient

down in a well ventilated area. Allow patient to assume most comfortable position and keep warm. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Obtain medical attention immediately.

Ingestion Do NOT induce vomiting. Rinse mouth with water. Contact a doctor or a Poisons

Information Centre (Phone: 13 11 26). If vomiting appears imminent or occurs, the head

should be kept low so that vomit does not enter the lungs.

Most Important Symptoms & Effects, Both Acute & Delayed, Caused by Exposure

See Section 11 for more detailed information on health effects and symptoms.

Page 2 of 7 Date: January 2022





Notes to Physician: Treat symptomatically.

FIRE FIGHTING MEASURES

General Measures Do not enter enclosed or a confined work space without proper protective equipment.

> Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done

without risk.

Flammability Conditions

Product is Non Flammable.

Extinguishing Media Use an extinguishing agent suitable for surrounding fires.

Special Hazards Arising from the **Substance or Mixture** Non Flammable. May evolve toxic gases (chlorides, fluorides, phosgene, carbon oxides) when heated to decomposition.

Fire/Explosion **Hazards**

Not flammable. Cool closed containers exposed to fire with water fog. Bursting aerosol containers may be propelled from a fire at high speed.

Special Protective **Equipment for Fire Fighters**

Fire fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face piece operated in positive pressure mode.

6. **ACCIDENTAL RELEASE MEASURES**

Immediately contact emergency personnel. Eliminate all ignition sources if safe to do so. **Personal Precautions**

> Keep unnecessary personnel away. Use suitable protective equipment (Section 8 [Exposure Controls/Personal Protection]). Do not touch or walk through spilled material.

Environmental **Precautions**

Prevent product from entering drains and waterways.

Methods for Cleaning Up

If emergency personnel are unavailable, contain spilt material. For small spills, add noncombustible absorbent material (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Pressurized container. Do not puncture, pierce or burn empty can.

Note: See Section 8 for personal protective equipment and Section 13 for waste

disposal.

7. **HANDLING AND STORAGE**

Safe Handling Before use carefully read the product label. Use of safe work practices are

> recommended to avoid eye or skin contact and inhalation. Avoid breathing vapours, spray or mists. Use only with adequate ventilation. Observe good personal hygiene, including washing hands thoroughly after handling. Pressurized container. Do not

puncture, pierce or burn empty can.

Safe Storage Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or

ignition sources and foodstuffs. Aerosol containers may explode if exposed to excessive heat (> 50°C). Ensure containers are adequately labelled and protected from physical

damage when not in use. Store out of direct sunlight. Check regularly for

damaged/leaking containers.

Page 3 of 7 Date: January 2022





8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Ingredient Name Exposure Limits

Carbon Dioxide NOHSC

TWA: 9000 mg/m³ 8 hour(s) TWA: 5000 ppm 8 hour(s) STEL: 54,000 mg/m³ 15 minutes STEL: 30,000 ppm 15 minutes

1,2-Dichloroethylene NOHSC

TWA: 793 mg/m³ 8 hour(s). Form: All forms TWA: 200 mg/m³ 8 hour(s). Form: All forms

Engineering Measures Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists,

mechanical extraction ventilation is recommended. Maintain vapour levels below the

recommended exposure standard.

Hygiene Measures Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Appropriate

techniques should be used to remove potentially contaminated clothing. Wash

contaminated clothing before reusing. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protection

Eyes Recommended: Safety glasses
Hands Recommended: PVC gloves

Respiratory If ventilation is not adequate then organic vapour filter (Type A) is recommended.

Body When using large quantities or where heavy contamination is likely, wear coveralls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid (Aerosol)
Colour Colourless
Odour Sweetish

Boiling Point Not available

Vapour Pressure Not available

Specific Gravity 1.2 – 1.3 (Concentrate) (Water =1)

Flash Point Does not support combustion

Vapour Density Not available pH Not applicable

Solubility Immiscible in cold water, hot water

Page 4 of 7 Date: January 2022





STABILITY AND REACTIVITY 10.

Stability The product is stable under normal ambient conditions of temperature and pressure.

Conditions to Avoid Sources of ignition, heat, direct sunlight.

Materials to Avoid Oxidizing material.

Hazardous Decomposition

Products

These products are carbon oxides (CO, CO₂), halogenated compounds, hydrogen

chloride, hydrogen fluoride, phosgene.

Hazardous Reactions Produces very toxic gases when exposed to acids or acid mists.

TOXICOLOGICAL INFORMATION 11.

Health Hazard Summary

Harmful - Irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation.

Deliberate misuse by inhaling contents of this aerosol may be fatal.

Potential Acute Health Effects

Inhalation Harmful by inhalation. High vapour concentrations can cause headaches, dizziness,

drowsiness and nausea, and may lead to unconsciousness. At higher levels, may result

in CNS depression and cardiac arrhythmia.

Ingestion Ingestion is considered unlikely do to product form, however ingestion may cause

nausea, weakness and central nervous system effects. At higher levels, may result in

CNS depression and cardiac arrhythmia.

Irritant. Prolonged or repeated contact may result in mild irritation. **Skin Contact**

Eye Contact Irritant. Contact may result in irritation, lacrimation, pain and redness.

Potential Chronic Health Effects

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. Reproductive Toxicity No known significant effects or critical hazards.

Toxicity Data CARBON DIOXIDE (124-38-9)

> 9 pph/5M (human) LCLo (inhalation)

Mutagenicity No known significant effects or critical hazards.

Reproductive Toxicity No known significant effects or critical hazards.

12. **ECOLOGICAL INFORMATION**

Ecotoxicity Data Not available for this product. Persistence/ Not available for this product.

Degradability

Mobility Not available for this product.

Other Adverse Effects Harmful to aquatic organisms. May cause long term adverse effects in the aquatic

environment.

Page 5 of 7 Date: January 2022





13. DISPOSAL CONSIDERATIONS

Methods of Disposal

The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. TRANSPORT INFORMATION



Classified as a Dangerous Goods for transport (ADG, IMDG, IATA)

Regulation	UN Number	Proper Shipping Name	Class Group	Packing Group
ADG	UN1950	Aerosols	2.2	None Allocated
IMDG	UN1950	Aerosols	2.2	None Allocated
IATA	UN1950	Aerosols	2.2	None Allocated

Additional Information

Initial emergency response Guide: 49 Emergency Schedules (EMS): F-D, S-U

15. REGULATORY INFORMATION

Australia Inventory (AICS)

All substances are listed on AICS or exempt.

AU Classification:

Xn – Harmful Xi – Irritant

Xn – Dangerous for the environment.

R20 – Harmful by inhalation. R36/38 – Irritating to eyes and skin.

R52/53 – Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

A poison schedule number has not been allocated to this product.

Control of Scheduled Carcinogenic Substances

Ingredient Name No listed substance

16. OTHER INFORMATION

Contact Person/Point Technical Information: Ted Powell 0425 800 022

Date of Preparation or last revision of SDS

SDS updated: January 2023

Page 6 of 7 Date: January 2022





Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road & Rail

AICS Australian Inventory of Chemical Substances
CAS Number Chemical Abstracts Service Registry Number

EMS Emergency Schedules

GHS Globally Harmonised System of Classification and Labelling

HAZCHEM Code Emergency action code of numbers and letters which gives information to emergency

services

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

mg/m³ Milligrams per Cubic Metre

NOHSC National Occupational Health and Safety Commission

ppm Parts Per Million

STEL Short Term Exposure Limit

SDS Safety Data Sheet

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

TWA Time Weighted Average

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF SDS

Page 7 of 7 Date: January 2022