



#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name MAGIC SS-4A AEROSOL

ADG AEROSOLS

Supplier QUICK SMART PRODUCTS PTY LTD

Manufacturer ADVANCE CHEMICALS

Address 4 – 8 Malton Court

Altona VIC 3018

**Telephone** (03)9398 4444 (BH) Poisons Information Centre 131126 (AH) 0425 800 022 (AH)

Recommended Use Metal Lubricant

#### 2. HAZARDS IDENTIFICATION

Hazard Classification Hazardous

Dangerous Goods Dangerous Goods according to the criteria of the Australian Code for the Transport of

Classification Dangerous Goods by Road & Rail (ADG Code)

GHS Classification(s) Aerosol: Pressurised: Category 3

Acute Toxicity: Inhalation: Category 4

Skin Irritation: Category 2 Eye Irritation: Category 2A

Aquatic Toxicity (Chronic): Category 3

**GHS Label Elements** 

Signal Word WARNING

Symbol(s)



#### **Hazard Statements**

H229 Pressurized container: may burst if heated.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects

## **Precautionary Statements**

**Prevention** 

P251 Pressurised container: Do not pierce or burn, even after use.
P261 Avoid breathing dust/fumes/gas/mist/mist/vapours/spray.

P262 Do not get in eyes, skin or on clothing.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+311 IF IN EYES: Rinse cautiously with water for several minutes. Get medical

advice/attention.

P308+P314 If exposed or concerned: Get medical advice/attention if you feel unwell.

Page 1 of 7 Date: September 2023





Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Other Hazards which do not result in classification

No information provided.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS No	Concentration
Carbon dioxide propellant	124-38-9	<10
1,2-Dichlorethylene	540-59-0	30 – 60

Other ingredients, determined not to be hazardous subject to the provisions of the Hazardous Substances (identification) Regulations, make up the product concentration to 100%.

#### 4. FIRST AID MEASURES

Poison Information Centres (131126) in each State Capital City can provide additional assistance for scheduled poisons.

#### Description of necessary measures according to routes of exposure

Eye Contact If in contact with eyes, hold eyelids apart and flush continuously with clean running

water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor,

or for at least 15 minutes. Obtain medical attention.

**Skin Contact** In case of contact with skin, remove contaminated clothing and flush skin with plenty of

clean running water (and soap if available) for at least 15 minutes. Seek medical

attention if irritation persists.

**Inhalation** If inhaled, remove the affected person from further exposure into fresh air. Lay patient

down in a well ventilated area. Allow patient to assume most comfortable position and keep warm. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Obtain medical attention immediately.

**Ingestion** Do NOT induce vomiting. Rinse mouth with water. Contact a doctor or a Poisons

Information Centre (Phone: 13 11 26). If vomiting appears imminent or occurs, the head

should be kept low so that vomit does not enter the lungs.

Notes to Physician Treat symptomatically.

Most Important Symptoms & Effects, Both Acute & Delayed, Caused by Exposure

See Section 11 for more detailed information on health effects and symptoms.

Page 2 of 7 Date: September 2023





#### 5. FIRE FIGHTING MEASURES

**General Measures** Do not enter enclosed or a confined work space without proper protective equipment.

Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done

without risk.

Flammability Conditions

Product is Non Flammable.

**Extinguishing Media** Use an extinguishing agent suitable for surrounding fires.

Special Hazards
Arising from the
Substance or Mixture

Non Flammable. May evolve toxic gases (carbon oxides, halogenated compounds)

when heated to decomposition.

Fire/Explosion Hazards

Not flammable. Cool closed containers exposed to fire with water fog. Bursting aerosol containers may be propelled from a fire at high speed.

Special Protective Equipment for Fire Fighters

Fire fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face piece operated in positive pressure mode.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Immediately contact emergency personnel. Eliminate all ignition sources if safe to do so.

Keep unnecessary personnel away. Use suitable protective equipment (Section 8 [Exposure Controls/Personal Protection]). Do not touch or walk through spilled material.

**Environmental Precautions** 

Prevent product from entering drains and waterways.

Methods for Cleaning Up

If emergency personnel are unavailable, contain spilt material. For small spills, add non-combustible absorbent material (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Pressurized container. Do not puncture, pierce or burn empty can.

Note: See Section 8 for personal protective equipment and Section 13 for waste

disposal.

#### 7. HANDLING AND STORAGE

**Handling** Before use carefully read the product label. Use of safe work practices are

recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands thoroughly after handling. Pressurized container. Do

not puncture, pierce or burn empty can.

**Storage** Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or

ignition sources and foodstuffs. Aerosol containers may explode if exposed to excessive heat (> 50°C). Ensure containers are adequately labelled and protected from physical

damage when not in use. Store out of direct sunlight. Check regularly for

damaged/leaking containers.

Page 3 of 7 Date: September 2023





### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational Exposure Limits** 

Ingredient Name Exposure Limits

Carbon dioxide NOHSC

TWA: 9000 mg/m³ 8 hour(s) TWA: 5000 ppm 8 hour(s) STEL: 54,000 mg/m³ 15 minutes STEL: 30,000 ppm 15 minutes

1,2-Dichloroethylene NOHSC

TWA: 793 mg/m<sup>3</sup> 8 hour(s). Form: All forms TWA: 200 mg/m<sup>3</sup> 8 hour(s). Form: All forms

Engineering Measures Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists,

mechanical extraction ventilation is recommended. Maintain vapour levels below the

recommended exposure standard.

**Hygiene Measures** Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking, using the toilet facilities and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Personal Protection** 

**Vapour Pressure** 

**Eyes** Recommended: Safety glasses.

**Hands** Wear any impervious glove. Recommended: PVC gloves.

**Respiratory** If ventilation is not adequate wear a Type A (Organic vapour) respirator.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid (Aerosol)
Colour Colourless
Odour Hydrocarbon
Boiling Point Not available

**Specific Gravity** 1.1 – 1.3 (Concentrate) (Water =1)

Not available

Flash Point Does not support combustion

Vapour Density Not available pH Not applicable

**Solubility** Immiscible in cold water, hot water.

Page 4 of 7 Date: September 2023





#### 10. STABILITY AND REACTIVITY

Stability The product is stable under normal ambient conditions of temperature and pressure.

**Conditions to Avoid** Keep out of direct sunlight. Avoid heat, sparks, open flames and other ignition sources.

**Materials to Avoid** Oxidizing material.

**Hazardous Decomposition Products** 

May evolve toxic gases (carbon oxides, halogenated compounds) when heated to

decomposition.

**Hazardous Reactions** No hazardous reactions expected.

#### 11. **TOXICOLOGICAL INFORMATION**

**Health Hazard** Summary

Harmful - Irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation.

Deliberate misuse by inhaling contents of this aerosol may be fatal.

## **Potential Acute Health Effects**

Inhalation Harmful by Inhalation. Over exposure may result in respiratory irritation, coughing,

nausea, dizziness and headache. High level exposure may result in dizziness,

drowsiness, breathing difficulties and unconsciousness.

Ingestion Ingestion is unlikely due to product form.

**Skin Contact** Irritant. Prolonged or repeated contact may result in mild irritation. Contact may result in

drying and defatting of the skin

**Eye Contact** Irritant. Contact may result in irritation, lacrimation, pain and redness.

**Potential Chronic Health Effects** 

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Reproductive Toxicity** No known significant effects or critical hazards.

**Toxicity Data** CARBON DIOXIDE (124-38-9)

> 9 pph/5M (human) LCLo (inhalation)

1,2-DICHLORETHYLENE (540-59-0) LD50 (oral) 770 mg/kg (rat)

#### **ECOLOGICAL INFORMATION** 12.

**Ecotoxicity Data** Not available for this product. Persistence/ Not available for this product. Degradability

Mobility Not available for this product.

**Phrases** environment.

**Environmental Risk** 

Page 5 of 7 Date: September 2023

Harmful to aquatic organisms. May cause long term adverse effects in the aquatic





#### 13. DISPOSAL CONSIDERATIONS

### **Methods of Disposal**

The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

### 14. TRANSPORT INFORMATION



Classified as a Dangerous Goods for transport (ADG, IMDG, IATA)

Regulation	UN Number	Proper Shipping Name	Class Group	Packing Group
ADG	UN1950	Aerosols	2.2	None Allocated
IMDG	UN1950	Aerosols	2.2	None Allocated
IATA	UN1950	Aerosols	2.2	None Allocated

### 15. REGULATORY INFORMATION

**Australian Inventory** 

**Status** 

All substances are listed on AICS or exempt.

AU Classification

Xn – Harmful

Xi - Irritant

N – Dangerous for the environment. R20 – Harmful by inhalation.

R36/38 – Irritating to eyes and skin.

R52/53 – Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

## Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

A poison schedule number has not been allocated to this product.

**Control of Scheduled Carcinogenic Substances** 

Tomas of Conforming Caroling Capotanious

Ingredient Name
No listed substance

**Substance** 

Page 6 of 7 Date: September 2023





16. OTHER INFORMATION

Contact Person/Point: Technical Information: Ted Powell 0425 800 022

Date of Preparation or last revision of SDS

SDS updated: September 2023

**Abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road & Rail

AICS Australian Inventory of Chemical Substances
CAS Number Chemical Abstracts Service Registry Number

GHS Globally Harmonised System of Classification and Labelling

**HAZCHEM Code** Emergency action code of numbers and letters which gives information to emergency

services

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

mg/m³ Milligrams per Cubic Metre

NOHSC National Occupational Health and Safety Commission

ppm Parts Per Million

STEL Short Term Exposure Limit

SDS Safety Data Sheet

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

**TWA** Time Weighted Average

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

**END OF SDS** 

Page 7 of 7 Date: September 2023