

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	MINERAL TURPENTINE	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	MT5, MT25, MT200	<b>TULLAMARINE VIC 3043</b>
Date:	May 2018	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name:</b>	MINERAL TURPENTINE		
<b>Company Name:</b>	QUICK SMART PRODUCTS		
<b>Address:</b>	53 Assembly Drive Tullamarine Vic 3043		
<b>Telephone/Fax:</b>	(03) 9338 6655 (BH)	Poisons Information Centre 131126 (AH)	Fax: (03) 9335 2598
<b>Recommended Use:</b>	Paint Solvent, Paint Thinner, Solvent		

### 2. HAZARDS IDENTIFICATION

<b>Statement of Hazardous Nature</b>	Hazardous chemical according to classification by Safe Work Australia.
<b>Dangerous Goods</b>	Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

#### GHS Classification

#### Hazard Categories

Flammable Liquids: Category 3  
Skin Corrosion/Irritation: Category 2  
Serious Eye Damage/Irritation - Category 2A  
Specific Target Organ Toxicity - Repeated Exposure: Category 1  
Specific Target Organ Toxicity - Single Exposure: Category 3  
Aspiration Hazard: Category 1  
Chronic Aquatic Toxicity: Category 2

#### GHS Label Elements

##### Signal Word

DANGER

##### Symbol(s)



##### Hazard Statements

H226:	Flammable liquid and vapour
H304:	May be fatal if swallowed and enters airways
H315:	Causes skin irritation
H319:	Causes serious eye irritation
H412:	Harmful to aquatic life with long lasting effects

#### Precautionary Statements

##### General

P101:	If medical advice is needed, have product container or label at hand
P102:	Keep out of reach of children
P103:	Read label before use

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No: Product Name:	MINERAL TURPENTINE	<b>QUICK SMART PRODUCTS</b> <b>53 ASSEMBLY DRIVE</b> <b>TULLAMARINE VIC 3043</b> ABN: 40 959 725 049 Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598 Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a> Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>
Manufacturers Code:	MT5, MT25, MT200	
Date:	May 2018	

<b>Prevention</b>	P210: P233 P240: P241: P242: P243: P261: P264: P273: P271: P273: P280+P281:	Keep away from heat/sparks/open flames/hot surfaces. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilation/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Avoid breathing fume, gas, mist, vapours or spray. Wash thoroughly after handling Avoid release to the environment Use only outdoors or in a well-ventilated area Avoid release to the environment Wear protective gloves, eye protection/face protection and other personal protection as required
<b>Response</b>	P301+P310: P302+P352: P303+P361+P353: P304+P340: P305+351+P338: P312: P314: P331 P332+P313: P337+P313: P362: P370+P378: P391:	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician If ON SKIN: Wash with plenty of soap and water If ON SKIN (or hair): Take off contaminated clothing and wash before reuse. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER or doctor/physician if you feel unwell Get medical advice/attention if you feel unwell Do NOT induce vomiting If skin irritation occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention Take off contaminated clothing and wash before reuse In case of fire: Use foam/water spray/fog for extinction Collect spillage
<b>Storage</b>	P403+P235: P233: P405:	Store in a well-ventilated place. Keep cool Keep container tightly closed Store locked up

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### Hazardous Components

Chemical Entity	CAS No	Proportion (%)
Low Aromatic White Spirit	64742-82-1	> 60
Solvent Naptha (petroleum) light arom.	64742-95-6	20 – 40
Contains < 0.1% w/w benzene		

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	MINERAL TURPENTINE	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	MT5, MT25, MT200	<b>TULLAMARINE VIC 3043</b>
Date:	May 2018	ABN: 40 959 725 049 Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598 Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a> Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

#### 4. FIRST AID MEASURES

Poison Information Centres (131126) in each State Capital City can provide additional assistance for scheduled poisons.

##### Description of Necessary First Aid Measures

<b>Inhaled</b>	Remove victim from exposure if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.
<b>Ingestion</b>	Immediately rinse mouth with water. If swallowed, DO NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
<b>Skin Contact</b>	If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair thoroughly with running water, follow by washing with soap if available. If irritation occurs seek medical attention.
<b>Eye Contact</b>	If in eyes, immediately flush eyes with fresh water. Continue rinsing for several minutes. Ensure complete irrigation of the eye by holding the eyelids apart and away from the eye. If redness, burning, blurred vision, or swelling persist transport to nearest medical facility for additional treatment.
<b>First Aid Facilities</b>	Potable water should be available to rinse eyes or skin. Provide safety showers and eye wash facilities.
<b>Symptoms Caused by Exposure</b>	
<b>Inhalation</b>	Breathing of high vapour concentrations may cause central nervous system depression.
<b>Skin</b>	May include itching and redness.
<b>Eye</b>	May include burning and temporary redness.
<b>Ingestion</b>	May cause mild gastrointestinal irritation.
<b>Advice to Physician</b>	Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Foam, water spray or fog. Dry chemical powder, carbon dioxide for small fires only. Do not use water in a jet.
<b>Specific Hazards Arising from the Chemical</b>	Flammable liquid and vapour. May form flammable mixtures with air. Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water. Vapour is heavier than air, can spread along the ground and distant ignition is possible.
<b>Special Protective Equipment and Precautions for Firefighters</b>	Firefighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition. DO NOT approach containers suspected of being hot. May be violently or explosively reactive. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
<b>Hazchem Code</b>	3[Y]

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions, Protective Equipment and Emergency Procedures</b>	Avoid contact with spilled or released material. Shut off leaks, if possible, without personal risk. Avoid breathing vapour and avoid contact with skin and eyes. Wear appropriate protective equipment. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Remove all sources of ignition in the surrounding area. Take precautionary measure against static discharge. Ensure electrical continuity by bonding and earthing all equipment.
--	---

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No: Product Name:	MINERAL TURPENTINE	<b>QUICK SMART PRODUCTS</b> <b>53 ASSEMBLY DRIVE</b> <b>TULLAMARINE VIC 3043</b> ABN: 40 959 725 049 Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598 Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a> Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>
Manufacturers Code:	MT5, MT25, MT200	
Date:	May 2018	

**Environmental Precautions**

Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterway using sand, earth or other appropriate barriers. Attempt to disperse the vapour or to direct its flow to a safe location for example by using fog sprays. Ventilate contaminated area thoroughly.

**Methods and Materials for Containment and Cleaning Up**

For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material (sand, soil or other inert material) and dispose of safely. Remove contaminated soil and dispose of safely. For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling and Storage**

Avoid breathing vapors or contact with material. Only use in well ventilated areas. Wash thoroughly after handling. Avoid contact with skin and eyes and clothing. Handle open containers in well ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure Limit is not exceeded. Do not empty into drains. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, remove contaminated clothing and wash hands.

Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Do not store near strong oxidants. Store away from sources of heat and/or ignition. Store locked up. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

**Dispensing**

Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment.

**Flammability**

Flammable.

**8. EXPOSURE CONTROL / PERSONAL PROTECTION**

**Exposure Standards**

Safe Work Australia has set an exposure standard of 480mg/m<sup>3</sup> (90ppm) TWA (8hr).

**Biological Limit Values**

No biological limit allocated.

**Personal Protective Equipment**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

**Respiratory Protection**

If work practices do not maintain airborne levels below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (boiling point >65° Deg C). Respirators should comply with AS1716 or an equivalent approved by a State/Territory authority.

**Hand Protection**

Use solvent resistant gloves (nitrile for longer term protection or PVC and neoprene for incidental splashes).

**Eye Protection**

Wear safety goggles.

**Protective Clothing**

Use chemical resistant glove/gauntlets, boots and apron. Skin protection not ordinarily required beyond standard issue work clothes.

**Engineering Controls**

Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists. Keep containers closed when not in use.

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b> <b>53 ASSEMBLY DRIVE</b> <b>TULLAMARINE VIC 3043</b> ABN: 40 959 725 049 Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598 Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a> Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>
Product Name:	MINERAL TURPENTINE	
Manufacturers Code:	MT5, MT25, MT200	
Date:	May 2018	

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Colourless liquid
<b>Odour</b>	Aromatic
<b>pH</b>	N/A
<b>Vapour Pressure (mmHg @ 20°C)</b>	Typical 0.5kPa
<b>Vapour Density (air=1)</b>	4.35 @ 15° C
<b>Boiling Point (°C)</b>	Typical 148 – 200
<b>Melting/Freezing Point (°C)</b>	Data not available
<b>Solubility in Water</b>	Not miscible with water
<b>Specific Gravity (g/ml @ 15°C)</b>	0.78 – 0.82 Typical
<b>Flashpoint (°C)</b>	31 (Abel)
<b>Flammability Limits (%)</b>	0.7 - 6.5
<b>Auto Ignition Temp (°C)</b>	Typical 300
<b>Percent Volatiles</b>	100

### 10. STABILITY AND REACTIVITY

<b>Stability</b>	Product is stable under recommended conditions of use, storage and temperature. Flammable liquid.
<b>Conditions to Avoid</b>	Avoid heat, sparks, open flames and other ignition sources.
<b>Incompatible Materials</b>	Strong oxidising agents.
<b>Hazardous Decomposition Products</b>	Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

### 11. TOXICOLOGICAL INFORMATION

<b>Acute Toxicity</b>	Expected to be of low toxicity: LD50>2000mg/kg, Rat. May cause mild gastrointestinal reaction.
<b>Serious Eye Damage/Irritation</b>	Mild irritant. May cause burning and temporary redness.
<b>Skin Corrosion/Irritation</b>	Mild irritant. May cause itching and redness. Prolonged contact may cause defatting of skin which can lead to dermatitis.
<b>Inhalation</b>	Expected to be of low toxicity. LC50 greater than near-saturated vapour concentration 4 hours, Rat.
<b>Specific Target Organ Toxicity (STOT) - Single Exposure</b>	Data not available.

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	MINERAL TURPENTINE	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	MT5, MT25, MT200	<b>TULLAMARINE VIC 3043</b>
Date:	May 2018	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a>
		Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

<b>Specific Target Organ Toxicity (STOT) - Repeated Exposure</b>	Auditory system: Prolonged and repeated exposures to high concentrations have resulted in hearing loss in rats. Solvent abuse and noise interaction in the work environment may cause hearing loss. Central nervous system: Repeated exposure affects the nervous system.
<b>Aspiration Hazard</b>	Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

<b>Fish</b>	Expected to be toxic: 1 < LC/EC/IC50 <= 10 mg/l
<b>Aquatic Invertebrates</b>	Expected to be toxic: 1 < LC/EC/IC50 <= 10 mg/l
<b>Algae</b>	Expected to be toxic: 1 < LC/EC/IC50 <= 10 mg/l
<b>Microorganisms</b>	Expected to be toxic: 1 < LC/EC/IC50 <= 10 mg/l
<b>Mobility</b>	Floats on water.
<b>Persistence/ Degradability</b>	Readily biodegradable. Oxidises by photo-chemical reactions in air.
<b>Bioaccumulation</b>	Has the potential to bioaccumulate.

### 13. DISPOSAL CONSIDERATIONS

<b>Disposal Methods</b>	Dispose of waste according to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations.
-------------------------	---

### 14. TRANSPORT INFORMATION



\_Classified as Dangerous Goods for transport (ADG Code).

UN number	1300
Proper Shipping Name:	Turpentine Substitute
Class	3
Subsidiary Risk	None allocated
Packing group	III
Hazchem Code	3Y
Special Precautions For User	None

### 15. REGULATORY INFORMATION

<b>SUSMP Schedule</b>	Poisons Schedule 5
<b>AICS (Australia)</b>	Listed

### 16. OTHER INFORMATION

<b>Contact Person/Point</b>	Technical Information: (03) 9338 6655
-----------------------------	---------------------------------------

<b>Date of Preparation or last revision of SDS</b>	SDS reviewed: 24 May 2018
--	---------------------------

# MINERAL TURPENTINE

## MATERIAL SAFETY DATA SHEET

MSDS No:		<b>QUICK SMART PRODUCTS</b>
Product Name:	MINERAL TURPENTINE	<b>53 ASSEMBLY DRIVE</b>
Manufacturers Code:	MT5, MT25, MT200	<b>TULLAMARINE VIC 3043</b>
Date:	May 2018	ABN: 40 959 725 049 Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598 Email: <a href="mailto:gsmart@bigpond.net.au">gsmart@bigpond.net.au</a> Web: <a href="http://www.quicksmartproducts.com.au">www.quicksmartproducts.com.au</a>

### Abbreviations

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road & Rail
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>CAS Number</b>	Chemical Abstracts Service Registry Number
<b>GHS</b>	Globally Harmonised System of Classification and Labelling
<b>g/cm<sup>3</sup></b>	Grams per Cubic Centimetre
<b>g/L</b>	Grams per Litre
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters which gives information to emergency services
<b>IATA</b>	International Air Transport Association
<b>IMDG</b>	International Maritime Dangerous Goods
<b>LC</b>	Lethal Concentration
<b>LD</b>	Lethal Dose
<b>mg/m<sup>3</sup></b>	Milligrams per Cubic Metre
<b>NOHSC</b>	National Occupational Health and Safety Commission
<b>ppm</b>	Parts Per Million
<b>SDS</b>	Safety Data Sheet
<b>STEL</b>	Short Term Exposure Limit. The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines and Poisons
<b>TLV</b>	Threshold Limit Value
<b>TWA</b>	Time Weighted Average. The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

*This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, or from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.*

END OF MSDS