

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	TRUCK VINYL CURTAIN WASH	53 ASSEMBLY DRIVE
Manufacturers Code:	TCW25	TULLAMARINE VIC 3043
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	TRUCK VINYL CURTAIN WASH
Company Name	QUICK SMART PRODUCTS
Address	53 Assembly Drive Tullamarine Vic 3043
Telephone/Fax	(03) 9338 6655 (BH) Poisons Information Centre 131126 (AH) Fax: (03) 9335 2598
Recommended Use	Concentrated detergent cleaner. Safe for use on paintwork, automotive surfaces, vinyl curtains and tarpaulins.

2. HAZARDS IDENTIFICATION

Hazard Classification	Non Hazardous
Dangerous Goods Classification	Not Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
GHS Label Elements	
Signal Word	Not Applicable
Symbol(s)	Not Applicable
Hazard Statements	Not Applicable
Precautionary Statements	
Prevention	P102: Keep out of reach of children. P103: Read label before use. P262: Do not get in eyes, on skin, or on clothing. P280: Wear protective gloves/protective clothing/eye protection/face protection.
Response	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTRE or doctor/physician if you feel unwell. P337+313: If eye irritation persists get medical advice/attention.
Storage	Not Applicable
Disposal	Not Applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	Name	W%W	CAS
	2-Butoxyethanol	<3	111-76-2
	Sodium Hydroxide	<5	1310-73-2
	Sulphonic Acid (LABS)	<5	7790-94-5
	Coconut Diethanolamide	<10	N/A
	Alpha Olefin Sulphonate	<5	N/A
	Nonylphenol Ethoxylates	<5	N/A
	Ingredients determined not to be hazardous	To 100%	

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	TRUCK VINYL CURTAIN WASH	53 ASSEMBLY DRIVE
Manufacturers Code:	TCW25	TULLAMARINE VIC 3043
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

4. FIRST AID MEASURES

Poison Information Centres (131126) in each State Capital City can provide additional assistance for scheduled poisons.

Description of necessary measures according to routes of exposure

Inhalation	Remove the source of contamination and move the affected person to fresh air. If the victim is not breathing, apply artificial resuscitation. Seek immediate medical attention. In serious cases of over-exposure, seek medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Immediately wash out mouth and lips with water. Seek immediate medical attention.
Eye Contact	If in eyes, hold eyelid open and flush the eye immediately with large amounts of clean running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation develops or persists, seek medical assistance. In all cases of eye contamination it is a sensible precaution to seek medical attention.
Skin Contact	If skin or hair contact has occurred remove any contaminated clothing and footwear, wash contaminated skin or hair thoroughly with soap and clean water. If irritation develops or persists, seek medical assistance.
First Aid Facilities	Normal washroom facilities are generally suitable. It is recommended that an eyewash station be available and ready for use in the area where this product is used.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Fire Fighting Measures	This product is not flammable under the conditions of storage and use and does not support combustion.
Suitable Extinguishing Media	Use extinguishing media appropriate to the principal fire hazard or to the source of the fire.
Protective Equipment for Fire Fighters	Fire Fighters should wear Self-Contained Breathing Apparatus and full protective clothing appropriate to the principal fire hazard or the source of the fire.
Specific Hazards	No information to indicate that this product is an explosion hazard. Closed containers may burst or rupture when exposed to extreme heat under fire conditions.
Hazchem Code	Not applicable.

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	TRUCK VINYL CURTAIN WASH	53 ASSEMBLY DRIVE
Manufacturers Code:	TCW25	TULLAMARINE VIC 3043
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Avoid accidents, clean up immediately. Slippery when spilled. Avoid contact with eyes and skin. Eliminate all sources of ignition. Increase ventilation. Use clean, non-sparking tools and equipment.
Methods and Materials for Containment and Cleaning Up	Spillages are slippery. Personnel involved in cleaning up any spills are to wear non-slip enclosed footwear, rubber or PVC gloves and chemical goggles. Cordon off the spillage area. Isolate the source of the spillage or leak. Contain using sand, soil or other inert material. Prevent run off into drains, sewers and waterways. Cover/absorb spill with non-combustible absorbent material (vermiculite, sand or similar), collect and seal in properly labelled plastic containers for disposal. Rinse the area clean with excess water to remove any remaining residues.
Disposal	Contaminated product should be placed in sealed, properly labelled containers for disposal. Dispose of waste according to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations

7. HANDLING AND STORAGE

Precautions for Safe Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapour mists. Repeated or prolonged exposure to the material without personal protection should be avoided in order to lessen the possibility of disorders. Maintain good standards of personal hygiene when using this product i.e. washing hands prior to eating, drinking or using the toilet facilities. Keep containers closed when not in use.
Safe Storage	Store in a clean, dry, cool well ventilated area away from foodstuffs. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standards	No value assigned for this specific product by the National Occupational Health and Safety Commission (NOHSC).
Biological Limits	No biological limit allocated for this product.
Appropriate Engineering Controls	Natural ventilation adequate under normal conditions of use. Keep containers closed when not in use.
Personal Protective Equipment	Avoid eye and skin contact.
Eye Protection	Safety glasses are recommended under normal conditions of use. When handling concentrate in large amounts or if splashing is likely to occur, the wearing of safety glasses with side shields or chemical goggles is highly recommended.
Hand Protection	PVC or rubber gloves should be worn.
Skin Protection	Wear appropriate protective clothing to prevent skin exposure. Wash contaminated clothing before re-using.
Other Information	Use sensible work practices that reduce operator exposure to the product.

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	TRUCK VINYL CURTAIN WASH	53 ASSEMBLY DRIVE
Manufacturers Code:	TCW25	TULLAMARINE VIC 3043
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Blue liquid
Odour	Detergent odour
Boiling Point	200°C
Solubility in Water	100%
Specific Gravity (20°C)	1.2
Evaporation Rate	Not available
Vapour Pressure	Not available
Physical State	Liquid
Flash Point	Not available
Flammability	This product is not flammable under conditions of use.
Vapour Density	Not available
Vapour Pressure	Not available
Percent Volatiles	15%

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions of storage and handling.
Hazardous Polymerization	Will not occur.
Materials to Avoid	None known.
Hazardous Decomposition	None known.
Decomposition Products	None known.
Hazardous Reaction	Not a fire hazard.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data is available for this specific product.
-------------------------------	--

No adverse health effects are expected if the product is handled in accordance with this SDS and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation	Not normally an inhalation risk. High concentrations of spray mists may cause irritation of the respiratory tract.
Ingestion	May cause irritation nausea, vomiting and diarrhoea.
Skin	May cause drying of skin and or irritation.
Eye	May cause irritation, tearing and redness.
Chronic Effects	No known adverse effects.

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	TRUCK VINYL CURTAIN WASH	53 ASSEMBLY DRIVE
Manufacturers Code:	TCW25	TULLAMARINE VIC 3043
Date:	September 2020	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
		Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available for this product.
Persistence/ Degradability	No data is available for this product.
Mobility	No data is available for this product.
Bioaccumulative Potential	No data is available for this product.
Environmental Protection	Avoid contaminating waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Waste product should be placed in sealed, properly labelled containers for disposal. Dispose in accordance to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations.
------------------------------------	---

14. TRANSPORT INFORMATION

Transport Information	Classified as Non-Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).
------------------------------	--

15. REGULATORY INFORMATION

SUSMP	Poisons Schedule - Not Scheduled
AICS (Australia)	To the manufacturers best knowledge, all ingredients are listed in the Australian Inventory of Chemical Substances (AICS)

16. OTHER INFORMATION

Contact Person/Point	Technical Information: (03) 9338 6655
-----------------------------	---------------------------------------

Date of Preparation or last revision of SDS	SDS created: 3 September 2020
--	-------------------------------

Abbreviations

ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail
AICS	Australian Inventory of Chemical Substances
CAS Number	Chemical Abstracts Service Registry Number
GHS	Globally Harmonised System of Classification and Labelling
g/cm³	Grams per Cubic Centimetre
g/L	Grams per Litre
HAZCHEM Code	Emergency action code of numbers and letters which gives information to emergency services
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC	Lethal Concentration
LD	Lethal Dose
mg/m³	Milligrams per Cubic Metre
NOHSC	National Occupational Health and Safety Commission
ppm	Parts Per Million

TRUCK VINYL CURTAIN WASH

SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name	TRUCK VINYL CURTAIN	53 ASSEMBLY DRIVE
:	WASH	TULLAMARINE VIC 3043
Manufacturers Code:	TCW25	ABN: 40 959 725 049
		Ph: (03) 9338 6655 (BH) Fax: (03) 9335 2598
Date:	September 2020	Email: gsmart@bigpond.net.au
		Web: www.quicksmartproducts.com.au

SDS
STEL

Safety Data Sheet

Short Term Exposure Limit. The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

SUSMP
TLV
TWA

Standard for the Uniform Scheduling of Medicines and Poisons

Threshold Limit Value

Time Weighted Average. The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, or from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF SDS